

Interview Summary	Application No.	Applicant(s)	
	10/052,559	GROSS ET AL.	
	Examiner	Art Unit	
	Robyn Doan	3732	

All participants (applicant, applicant's representative, PTO personnel):

(1) Robyn Doan. (3) _____.

(2) Catlin. (4) _____.

#6

Date of Interview: 28 May 2003.

Type: a) ☐ Telephonic b) ☐ Video Conference
c) ☒ Personal [copy given to: 1) ☐ applicant 2) ☒ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☐ No.
If Yes, brief description: _____.

Claim(s) discussed: 16 and 28.

Identification of prior art discussed: Eubanks and Padulo.


Agreement with respect to the claims f) ☐ was reached. g) ☐ was not reached. h) ☒ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: The proposed amendment has been discussed, claims 16 and 28 need an update search.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN ONE MONTH FROM THIS INTERVIEW DATE TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.


Examiner's signature, if required

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Peter GROSS

Group Art Unit: 3732

Application No.: 10/052,559

Examiner: R. DOAN

Filed: January 23, 2002

Docket No.: 115515

For: TOOTHBRUSH

AMENDMENT

PROPOSED

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reply to the February 28, 2003 Office Action, please consider the following:

Amendments to the Claims are reflected in the listing of claims;

Remarks.

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-15. (Previously Canceled)

16. (New) A toothbrush having a bristle-carrying front head part and a handle and being produced by injection molding, the handle being provided with an essentially cylindrical and closed inner cavity extending over at least part of the length of the handle in the longitudinal direction of the toothbrush, at least that part of the handle which encloses the cavity consisting of an at least partially transparent material, the toothbrush further comprising an elongated article providing for an aesthetic effect accommodated in the closed cavity, said elongated article having an essentially cylindrical outer shape and the form of a roll.

17. (New) The toothbrush as claimed in claim 16, wherein the roll has printing thereon or has a film adhesively bonded to the roll.

18. (New) The toothbrush as claimed in claim 17, wherein the roll is made of plastic or cardboard.

19. (New) The toothbrush as claimed in claim 16, wherein the article is formed by an at least partially transparent or translucent rolled section of film that butts against an inner wall of the cavity and has printing thereon.

20. (New) The toothbrush as claimed in claim 16, wherein the cavity is initially open at a rear end of the handle and is closed from the rear by a closure part.

21. (New) The toothbrush as claimed in claim 20, wherein the closure part is connected non-releasably to the handle at the rear end of the handle.

22. (New) The toothbrush as claimed in claim 20, wherein the closure part is connected releasably to the handle at the rear end of the handle.

23. (New) The toothbrush as claimed in claim 20, wherein the closure part is provided with a positioning part for positioning the toothbrush on an underlying surface.

24. (New) The toothbrush as claimed in claim 23, wherein the closure part is provided with a positioning part for positioning the toothbrush on an underlying surface.

25. (New) The toothbrush as claimed in claim 20, wherein the closure part is produced from a thermoplastic elastomer (TPE).

26. (New) The toothbrush as claimed in claim 21, wherein the closure part is connected to the handle by one of welding, high-frequency welding, adhesive bonding or a non-releasable snap-in connection.

27. (New) The toothbrush as claimed in claim 22, wherein the closure part is connected to the handle by one of a releasable snap-in connection, a screw connection, or a bayonet connection.

28. (New) A toothbrush having a bristle-carrying front head part and a handle and being produced by injection molding, the handle being provided with an essentially cylindrical and closed inner cavity extending over at least part of the length of the handle in the longitudinal direction of the toothbrush, at least that part of the handle which encloses the cavity consisting of an at least partially transparent material, the toothbrush further comprising an elongated article providing for an aesthetic effect accommodated in the closed cavity, said article being formed by an ampoule that (1) is filled with an aesthetic effect element, (2) has printing on the ampoule, or (3) has a film adhesively bonded to the ampoule.

29. (New) The toothbrush as claimed in claim 28, wherein the ampoule is filled with a liquid.

30. (New) The toothbrush as claimed in claim 28, wherein the ampoule is filled with a liquid containing floating articles.

31. (New) The toothbrush as claimed in claim 28, wherein the ampoule is filled with a fine-grained material.

32. (New) The toothbrush as claimed in claim 28, wherein the ampoule is filled with luminescent parts.

33. (New) The toothbrush as claimed in claim 28, wherein the ampoule is filled with hologram foils.

34. (New) The toothbrush as claimed in claim 28, wherein the ampoule is filled with a gas.

35. (New) The toothbrush as claimed in claim 28, wherein the ampoule is kept in its position in the cavity by a securing means.

36. (New) The toothbrush as claimed in claim 35, wherein the securing means comprising rearwardly directed tongues that are arranged in the front region of the handle cavity, extend in the longitudinal direction of the toothbrush, are made of an elastically compliant material, and are arranged in the form of a circle, whereby, when the cavity is closed by a closure part, the ampoule is kept in position between said tongues of the securing means and tongues provided on the closure part, the closure part tongues being likewise arranged in the form of a circle, extend forwardly in the longitudinal direction of the toothbrush and consist of an elastically compliant material.

37. (New) The toothbrush as claimed in claim 28, wherein the cavity is initially open at the rear end of the handle and is closed from the rear by a closure part.

38. (New) The toothbrush as claimed in claim 37, wherein the closure part is connected non-releasably to the handle at the rear end of the handle.

39. (New) The toothbrush as claimed in claim 37, wherein the closure part is connected releasably to the handle at the rear end of the handle.

PROCESSED

40. (New) The toothbrush as claimed in claim 37, wherein the closure part is provided with a positioning part for positioning the toothbrush on an underlying surface.

41. (New) The toothbrush as claimed in claim 40, wherein the positioning part has a planar standing surface at right angle to the longitudinal axis (L) of the toothbrush and closure part.

42. (New) The toothbrush as claimed in claim 37, wherein the closure part is produced from a thermoplastic elastomer (TPE).

43. (New) The toothbrush as claimed in claim 38, wherein the closure part is connected to the handle by one of welding, high-frequency welding, adhesive bonding or a non-releasable snap-in connection.

44. (New) The toothbrush as claimed in claim 39, wherein the closure part is connected to the handle by one of a releasable snap-in connection, a screw connection, or a bayonet connection.